

INDEX MAPS.

T. 27N. R. 14E. 2nd Mer.



T. 28N. R. 14E. 2nd Mer.



☞ The figures on the lines refer to the page.

Township 28 North, Range 14 East 2nd P.M. Ind.a

Ch. Lks.	South Boundary. Var. 5°. 55'. E.
West	On S. side of Sec. 36.
40.00	Set qr. Sec. post, from which a Wh. Oak 10 in. dia. bears S 67 W. 18 Lks. dist.) X a Do. 13 " " " N 66 E. 13 " "
80.00	Set post Cor. to Sec.s 35 & 36, fr. which a Sugar 15 in. diam. bears N 77 W, 23 Lks. dt. a Beech 14 " " " S 70 W. 14 Lks. dist.) Land, Oak, Beech & Hickory.

West	On S. side of Sec. 35.
40.00	Set qr. Sec. post, from which a Beech 14 in. dia. bears S 77 W, 18 Lks. dist.) X a Do. 14 " " " S 48 E. 14 " "
80.00	Set post Cor. to Sec.s 34 & 35, fr. which a Hornbeam 4 in. dia. bears N 39 E. 11 Lks. dist.) X an Elm 8 in. dia. bears S 10 W. 13 Lks. dist.) Land and Timber, —

West	On S. side of Sec. 34.
8.32	To St. Mary's River & set meand.d post on margin of said river, from which an Ash 12 in. dia. bears N 9 W. 6 Lks. dist. X a Do. 10 " " " S 16 W. 18 " "
10.75	Set post on the West Bank of said R. an Elm 13 in. dia. bears N 10 W. 9 Lks. dist.) X a Do. 6 " " " S 10 E. 9 " "
40.00	Set qr. Sec. post, from which a Wh. Oak 36 in. dia. bears S 63 E. 23 Lks. dist.) X a Hickory 18 " " " N 76 W. 31 " "
57.10	a Wh. Oak 18 in. diam.
80.00	Set post Cor. to Sec.s 33 & 34, from wh. a Wh. Oak 16 in. dia. bears S 38 E. 22 Lks. dist.) X an Ash 12 " " " N 68 W. 16 " "
	Land, level. Tim. Oak, Beech &c.

T. 28 N R. 14 E. 2nd " Mer. Ind.a "

Chs. Lks.	
West	On S. side of Sec. 33.
23.50	a Brook 10 Lks. wide course N.
32.90	an Oak 30 in. diam.
40.00	Set qr. Sec. post, from which
	a Wh. Oak 18 in. dia. bears S 69 E. 20 Lks. dist. X
	a Beech 14 in. dia. bears N 83 W. 18 " "
72.00	a Creek 30 Lks. wide course N.
80.00	Set post Cor. to Sec. 32 & 33, fr. wh.
	a Mulberry 8 in. dia. bears S 5 E. 2 Lks. dist. X
	a Wh. Oak 8 " " " " S 65 W. 10 " "
	Land, ad before.

West	On S. side of Sec. 32.
6.00	a Creek 40 Lks. wide course S. E.
11.50	Same course N. E.
33.40	a Wh. Oak 24 in. diam.
40.00	Set qr Sec. post, from which
	a Beech 16 in. dia. bears S 66 E. 39 Lks. dist. X
	a Do. 14 " " " N 82 W. 16 " "
59.20	a Sycamore 30 in. diam.
80.00	Set post Cor. to Sec. 31 & 32, fr. oak.
	a Beech 12 in. dia. bears N 74 E. 20 Lks. dist. X
	an Oak 13 " " " S 47 W. 6 " "
	Land, ad before.

West	On S. side of Sec. 31.
16.90	a Wh. Oak 20 in. diam.
40.00	Set qr. Sec. post, from which
	a Beech 12 in. dia. bears S 81 E. 32 Lks. dist. X
	a Hickory 8 " " " N 66 W. 14 " "
51.75	a Beech 12 " "
80.80	Town Cor. Land, ad before.
	Surveyed in 1820
	By John McDonald,
	Dep. Sur.

T. 28 N. R. 14 E. 2nd " Mer. Ind.a "

Ch.	Lks.	
		East Boundary. Var. 5°. 00'. E.
North		on E. side of Sec. 36.
29.	70	a Wh. Oak 13 in. dia.
40.	00	Set qr. Sec. post, from which an Oak 16 in. dia. bears S. 4 W. 18 lks. dist. & a Hickory 10 in. dia. " N. 1 E. 18 " "
80.	00	Set post Cor. to Sec. 25 & 36, from which a Beech 13 in. dia. bears S. 81 W. 15 lks. dist. & an Ironwood 8 in. dia. bears S. 64 E. 23 lks. dist. Timber Oak Hickory and Hazel &c.
North		on E. side of Sec. 25.
29.	70	a Beech 10 in. diam.
40.	00	Set qr. Sec. post, from which an Ash 9 in. dia. bears S. 20 E. 21 lks. dist. a Do. 9 " " " N. 88 W. 16 " "
48.	80	a Wh. Oak 24 in. diam.
75.	00	Road Course N. W.
80.	00	Set post Cor. to Sec. 24 & 25, from which a Sugar 10 in. dia. bears N. 32 W. 14 lks. dist. & a Hickory 14 in. dia. " N. 82 E. 33 " " Land, as before.
North		on E. side of Sec. 24.
20.	00	a Sycamore 20 in. diam.
40.	00	Set qr. Sec. post, from which an Oak 8 in. dia. bears S. 15 E. 16 lks. dist. & an Ash 10 " " " N. 14 E. 15 " "
80.	00	Set post Cor. to Sec. 13 & 24, from which an Ash 14 in. dia. bears S. 12 E. 34 lks. dist. & a Hickory 12 " " " N. 7 E. 21 " " Land, as before.
North		on E. side of Sec. 13.
10.	12	an Oak 16 in. diam.

T. 28 N. R. 14 E. 2nd " Mer. Ind.a "

Ch.	Lks.	
40.	00	Set qr. sec. post, from which a Sycamore 24 in. diam. bears S 19 E. 15 lks. an Ash 10 in. dia. bears N 19 W. 27 lks. dist.
46.	72	a Beech 14 " "
80.	00	Set post Cor. to Sec. 12 & 13, from wh. an Elm 13 in. dia. bears S 66 E. 21 lks. dist. a Do. 20 " " " N 63 W. 11 " " Land, as before.

North		On E. side of Sec. 12.
24.	25	an Oak 22 in. diam.
40.	00	Set qr. sec. post, from which a Ash 10 in. dia. bears S 25 E. 43 lks. dist. a " 12 " " " N 66 W. 18 " "
55.	00	a Hickory 18 in. diam.
80.	00	Set post Cor. to Sec. 1 & 12, from wh. an Elm 40 in. dia. bears S 77 E. 11 lks. dist. a Maple 10 " " " N 85 W. 13 " " Land, good for farming. Timber, Beech, Sycamore, Hickory, Oak &c.

North		On E. side of Sec. 1.
12.	75	an Oak 28 in. dia.
40.	00	Set qr. sec. post, from which an Elm 13 in. dia. bears S 23 W. 21 lks. dist. a Sycamore 15 " " " N 44 E. 27 " "
80.	00	Set post Cor. to Towns. 28 & 29 North Ranges 14 & 15 East, from which a Beech 14 in. dia. bears S 38 E. 13 lks. dist. a Hickory 13 " " " N 6 W. 23 " " Land, as before. Surveyed in 1820. By John Mc. Donald, D. S.

North Boundary.

Var. 5° 45' E.

T. 28 N. R. 14 E. 2nd P.M. Ind.a

ch. lks.	
West	On S. side of sec. 36. T. 29 N. R. 14 E.
40.00	Set qr. sec. post, from which
	a Hickory 12 in. dia. bears N 78 E. 12 lks. dist.
	a Dogwood 6 " " " S 50 W. 26 " "
80.00	Set post cor. to Secs. 35 & 36, from which
	an Elm 24 in. dia. bears S 29 W. 8 lks. dist.
	a Sycamore 36 in. dia. " N 19 E. 22 " "
	Land, Rich. Limb. Beech, Oak &c.

West	On S. side of sec. 35. T. 29 N. R. 14 E.
40.00	Set qr. sec. post, from which
	an Elm 12 in. dia. bears N 79 E. 20 lks. dist.
	a Cottonwood 36 in. dia. " S 79 W. 6 " "
80.00	Set post cor. to Secs. 34 & 35, from which
	an Ash 10 in. dia. bears N 67 W. 9 lks. dist.
	a Do. 10 " " " S 73 E. 8 " "
	Land, as before.

West	On S. side of sec. 34. T. 29 N. R. 14 E.
40.00	Set qr. sec. post, from which
	a Maple 10 in. dia. bears S 55 E. 10 lks. dist.
	a Ditto 12 " " " N 76 W. 8 " "
80.00	Set post cor. to Secs. 33 & 34, from which
	an Ash 4 in. dia. bears N 17 E. 2 lks. dist.
	an Elm 8 " " " S 19 W. 2 lks. dist.
	Land, as before.

West	On S. side of sec. 33. T. 29 N. R. 14 E.
40.00	Set qr. sec. post, from which
	a Sugar 24 in. dia. bears N 15 E. 14 lks. dist.
	a Do. 24 " " " S 20 E. 9 " "
80.00	Set post cor. to Secs. 32 & 33, from which
	a Beech 24 in. dia. bears N 20 W. 16 lks. dist.
	a Lynn 12 " " " S 10 W. 23 " "
	Land, as before.

T. 28 N. R. 14 E. 2nd " Mer. Ind.a "

Ch. Lks.	
West	On S. side of Sec. 32. T. 29 N. R. 14 E.
40.00	Set gr. Sec. post, from which
	a Wh. Oak 24 in. diam. bears S 84 W. 34 lks. dist.
	an Ash 10 in. dia. bears S 16 E. 19 lks. dist.
80.00	Set post Cor. to Secs. 31 & 32, from wh.
	a Wh. Oak 24 in. dia. bears S 27 W. 26 lks. dist.
	& an Ironwood 8 in. dia. " N 15 W. 10 " "
	Land, ad before.

West	On S. side of Sec. 31. T. 29 N. R. 14 E.
40.00	Set gr. Sec. post, from which
	a Sugar 18 in. dia. bears S 70 E. 4 lks. dist. &
	an Ironwood 8 in. dia. " N. W. 8 " "
85.00	Town. Corner.
	Surveyed in 1820.
	By John McDonald, D.S.

West Boundary.

Var. 5° 30' E.

North	On E. side of Sec. 36. T. 28 N. R. 13 E.
3.67	a Beech 10 in. diam.
40.00	Set gr. Sec. post, from which
	an Ash 24 in. dia. bears S 13 W. 15 lks. dist. X
	an Elm 10 " " " N 26 E. 13 " "
69.75	a Wh. Oak 24 in. diam.
80.00	Set post Cor. to Secs. 25 & 36, fr. which
	a Hickory 24 in. dia. bears N 34 W. 10 lks. dist. X
	a Beech 8 in. dia. bears N 51 E. 6 lks. dist.
	Land, Rich. Timb.r Beech, Sugar, Hicky.
	under gth. Spice.

North	On E. side of Sec. 25. T. 28 N. R. 13 E.
24.54	a Poplar 24 in. diam.
40.00	Set gr. Sec. post, from which
	a Beech 12 in. dia. bears S 16 W. 6 lks. dist. X
	an Elm 12 " " " N 10 W. 14 " "

T. 28 N. R. 14 E. 2nd " Mer. Ind.a "

Chs.	Lks.	
74.	60	a Cotton wood 14 in. diam.
80.	00	Set post cor. to Secs. 24 & 25, from which a Cottonwood 10 in. diam. bears N 55 E. 15 lks. dist. Land, as above.

North On E. side of Sec. 24. T. 28 N. R. 13 E.

25.	25	a Wh. Oak 24 in. diam.
40.	00	Set qr. sec. post, from which a Beech 12 in. dia. bears S 34 W. 18 lks. dist. & a Do. 12 " " " N 20 W. 21 lks. dist.
67.	00	an Ash 12 in. diam.
80.	00	Set post cor. to Secs. 13 & 24. from wh. a Sugar 24 in. dia. bears S 75 E. 17 lks. dist. & a Wh. Oak 24 " " " N 55 W. 21 " " Land, as above.

North On E. side of Sec. 13. T. 28 N. R. 13 E.

8.	50	a Branch 15 lks. wide course N. E.
34.	00	a Wh. Oak 36 in. diam.
40.	00	Set qr. sec. post, from which a Wh. Oak 24 in. dia. bears S 20 E. 33 lks. dist. & a Do. 24 " " " N 37 E. 6 " "
59.	50	a Wh. Oak 24 in. diam.
62.	00	a Road
80.	00	Set post cor. to Secs. 12 & 13, from which a Beech 24 in. dia. bears N 17 W. 14 lks. dist. & a Do. 24 " " " N 75 E. 19 " " Land, as above.

North On E. side of Sec. 12. T. 28 N. R. 13 E.

8.	25	To St. Mary's River & Set a meander post on margin, from which a Hickory 10 in. dia. bears S 41 W. 3 lks. dist. & a Blackberry 10 " " " N 41 E. 5 " "
10.	41	To River Set post, from which a Wh. Oak 10 in. dia. bears S 30 W. 10 lks. dist. and

T. 28 N. R. 14 E. 2nd " Mer. Ind.a "

Chs. Lks.	
	a Walnut 24 in. dia. bears N30W. 5 Lks. dist.)
37.67	a Beech 36 " "
40.00	Set qr. Sec. post, from which
	a Hickory 12 in. dia. bears North, 5 Lks. dist.
	a Beech 8 " " " South 16 " "
74.89	a Do. 24 " "
80.00	Set post, cor. to Sec. 1 & 12, fr. which
	a Beech 24 in. dia. bears S40E. 21 Lks. dist. ×
	a Do. 12 " " " N73W. 19 " "
	Land, as before.

North	On E. side of Sec. 1. T. 28 N. R. 13 E.
29.50	a Beech 18 in. diam.
40.00	Set qr. Sec. post, from which
	a Hickory 18 in. dia. bears S31E. 23 Lks. dist. ×
	a Beech 18 " " " N56W. 15 " "
	March 10th " 1820.
78.00	Set post Cor. to Sec. 1, 6, 31 & 36, Townships
	28 & 29 N. R. 13 & 14 E. from which
	a Wh. Oak 12 in. dia. bears S31W. 4 Lks. dist. ×
	a Do. 12 " " " N22E. 25 " "
	Land, as above. Surveyed this
	March 11th " 1820. John McDonald, D.S.

Subdivision.

Var. 5.00 E.

North	Between Sections 35 & 36.
22.75	a Run 10 Lks. wide course S. W.
39.82	a Hickory 18 in. diam.
40.00	Set qr. Sec. post, from which
	an Elm 18 in. dia. bears S81E. 38 Lks. dist. ×
	a Hickory 20 " " " N80W. 56 " "
45.00	a Brook 15 Lks. wide course W.
68.14	a Hickory 20 in. diam.
80.00	Set post Cor. to Sec. 25, 26, 35 & 36, fr. wh.
	a Wh. Oak 18 in. dia. bears S51E. 30 Lks. dist. ×

T. 28 N. R. 14 E. 2nd P.M. Ind.a

Ch.	Lks.	
		a Sugar 10 in. dia. bears N 42 W 64 Lks. dist., Land, 2nd rate a little rolling. Wh. Oak Sugar, Beech, Hickory, Walnut &c. &c. Ironwood, Dogwood & Spice.
East		On Random between Sec.s 25 & 36.
32.	51	a Brook 10 Lks. wide course S. W.
40.	00	Set temp. qr. Sec. post.
56.	00	a Run 8 Lks. wide Course S. W.
80.	07	Intersect N. & S. line 30 Lks. N. of post. Land, rolling 2nd rate. Wh. Oak, Elm, Beech, Sugar &c. Ind. Ironwood.
West		Correct line between Sec.s 25 & 36.
20.	12	a Hickory 18 in. diam.
40.	03	Set qr. Sec. post, from which an Elm 10 in. dia. bears S 28 E. 36 Lks. dist. X a Hickory 16 " " " N 54 W. 12 " "
62.	24	a Wh. Oak 18 in. diam.
80.	07	Sec. Cor.
North		Between Sec.s 25 & 26.
22.	35	a Hickory 20 in. dia.
40.	00	Set qr. Sec. post, from which a Hickory 20 in. dia. bears S 66 W. 55 Lks. dist. X a Wh. Oak 16 " " " N 41 E. 24 " "
56.	94	a Wh. Oak 24 in. diam.
80.	00	Set post Cor. to Sec.s 23, 24, 25 & 26, fd. which a Hickory 12 in. dia. bears S 60 W. 15 Lks. dist. X a Wh. Oak 15 " " " N 20 E. 22 " " Land, rolling 2nd rate. Wh. Oak, Beech Hickory & Ironwood &c.
East		On Random between Sec.s 24 & 25.
40.	00	Set temp. qr. Sec. post.
77.	00	To Fort Wayne Road Course N. W.

232

T. 28 N. R. 14 E. 2nd P.M. Ind.a

Ch.	Lks.	
80.	18	Intersect E. boundary 20 lks. N. of post. Land, Rolling & Sand some 2nd rate Oak & Hickory &c. Ironwood & Hazel.
West		Correct line Between Sec.s 24 & 25.
23.	90	a Hickory 30 in. diam.r
40.	09	Set q. sec. post. from which a Hickory 16 in dia. bears S 35 E. 50 lks. dist. & a Wh. Oak 18 " " " N 25 W. 28 " "
64.	73	a Wh. Oak 20 in. diam.r
80.	18	Sec. Corner.
North		On Line Between Sec.s 23 & 24.
22.	50	a Wh. Oak 18 in. diam.r
40.	00	Set q. sec. post, from which an Ironwood 6 in. dia. bears S 82 E. 46 lks. dist. & a Dogwood 5 " " " N 82 W. 17 " "
43.	25	a Run 10 lks. wide S. W.
57.	50	a Branch 15 lks. wide course W.
77.	68	a Hickory 14 in. diam.r
80.	00	Set post cor. to Sec.s 13, 14, 23 & 24, fr. wh. a Elm 10 in. dia. bears S 64 E. 9 lks. dist. & a R. Oak 24 " " " N 64 W. 30 " " Land, beautifully rolling 2nd rate. — Wh. & R. Oak Ash & Hickory. Ironwood &c.
East		On Random Between Sec.s 13 & 24.
18.	10	a Hickory 18 in. diam.r
21.	00	To Fort Wayne Road Course N. W.
40.	00	Set temp.y q. sec. post,
79.	90	Intersect N & S. Line (E. boundy.) 50 lks. N. of post. Land, rolling 2nd rate. Timb.r Oak, Hickory Ash, Beech &c. Und.g th of Spice and Ironwood.
West		Correct line between Sec.s 13 & 24.

T. 28 N. R. 14 E. 2nd P.M. Mer. Ind.a

Ch.	Lks.	
39.	95	Set qr. Sec. post, from which a Beech 20 in. dia. bears S. 48 E. 26 lks. dist. X a Sym 18 " " " W. 62 N. 23 " "
79.	90	Sec. Cor.

North — Between Sec. 13 & 14.

14.	50	a Run 11 lks. wide Course N. W.
21.	00	Fort Wayne Road Course N. W.
28.	40	a B.L. Ash 18 in. diam.
29.	50	a Run 10 lks. wide Course S. W.
40.	00	Set qr. Sec. post, from which an Elm 15 in. dia. bears S. 25 E. 40 lks. dist. X a B.L. Ash 14 in. " " N. 34 W. 6 " "
59.	00	a Brook 15 lks. wide Course W.
65.	80	a Hickory 18 in. diam.
80.	00	Set post Cor. to Secs. 11, 12, 13 & 14, f. wh. an Ironwood 6 in dia. bears S. 25 E. 20 lks dist. a R. Oak 24 in. dia. bears N. 30 W. 30 " " Land, rolling 2nd rate. Wh. & R. Oak Hickory, Beech, Ash, Spice and Ironwood.

East — On Random Between Sec. 13 & 12.

19.	85	a Wh. Oak 48 in. diam.
22.	50	a Swail 50 lks. wide Course N. W.
40.	00	Set Comp. qr. Sec. post.
79.	95	Intersect N. & S. line 10 lks. N. of post. Land, level 2nd rate. Hickory, Oak, Beech, Sugar, Elm & B. Ash.

West — Correct line Between Sec. 13 & 12.

20.	64	a Wh. Oak 18 in. diam.
39.	97	Set qr. Sec. post, from which a Wh. Ash 18 in. diam. bears S. 34 E. 34 lks. dist. a Hickory 12 " " " N. 54 W. 46 " "
79.	95	Sec. Cor. June 9th 1822.

234

T. 28 N. R. 14 E. 2nd P.M. Mer. Ind.a

Ch. Lks.	
North	Between Sec.s 11 & 12.
1.00	a stream 15 lks. wide course S.W.
4.00	Same 15 " " " S.W.
9.00	Same 15 " " " S.W.
21.35	a Wh. Oak 24 in. diam.
40.00	Set qr. sec. post, from which
	a Maple 12 in. dia. bears N 52 W. 26 lks. dist. &
	a Beech 10 " " " S 58 E. 42 " "
62.16	a Wh. Oak 24 in. diam.
80.00	set post cor. to sec.s 1, 2, 11 & 12, fr. which
	a Bx. Oak 15 in. dia. bears S 29 E. 16 lks. dist. &
	a Maple 14 " " " N 3 W. 20 " "
	Land, level 2nd P.M. rate. Wh. & Bl. Ash,
	Elm, Sugar, Beech & Spice Ironwood &c.

East	An Random Between Sec.s 1 & 12.
25.20	a W. oak 24 in. diam.
40.00	Set qr. sec. post, (Temporary)
45.50	a stream 10 lks. wide course S.W.
69.00	a Hickory 24 in. diam.
79.90	Intersect E. boundary 40 lks. N. of post
	Land, level 2nd P.M. rate. Bl. & Wh. Ash,
	Elm, Sugar, Hickory &c.

West	Correct line Between Sec.s 1 & 12.
39.95	Set qr. sec. post, from which
	an Elm 18 in. dia. bears S 10 E. 21 lks. dist. &
	a Beech 15 " " " N 31 W. 39 " "
79.90	Sec. cor.

North	Between Sections 1 & 2.
20.00	a Wh. Oak 30 in. diam.
32.00	a Run 8 lks. wide
40.00	Set qr. sec. post, from which
	a Hickory 12 in. dia. bears S 25 E. 25 lks. dist. &
	a Beech 14 " " " N 75 W 38 " "

T. 28 N. R. 14 E. 2nd P. Mer. Ind.a

Chs.	Lks.	
58.	30	a Sycamore 48 in. diam.
79.	50	Intersect N. Boundary 245 Lks. E. of post. &
		Mot post Cor. to Sec.s 1 & 24 from which
		an Elm 26 in. dia. bears S 11 E. 21 Lks. dist. &
		a Beech 15 " " " S 78 W. 25 " "
		Land is little rolling 2nd rate. —
		Wh. & Bl. Ash, Elm, Beech, Sugar and
		Hickory &c.

North		Between Sec.s 34 & 35.
14.	50	a Branch 15 Lks. wide course W.
23.	74	a Beech 20 in. diam.
40.	00	Set qr. Sec. post, from which
		a Dogwood 8 in. dia. bears S 83 E. 20 Lks. dt.
		a Dogwood 8 " " " N 64 W. 30 " "
75.	83	a Wh. Oak 20 in. dia.
80.	00	Set post Cor. to Sec.s 26, 27, 34 & 35, fr. wh.
		a Wh. Oak 15 in. dia. bears S 33 E. 50 Lks. dist. &
		a Do. 10 " " " N 62 W. 20 " "
		Land, Rolling good 2nd rate. Tim.
		Wh. & Bl. Oak, Beech Hickory Sugar,
		Elm, Walnut &c.

East		On Random Between Sec.s 26 & 35.
3.	00	a Run 5 Lks. wide Course N.W.
8.	50	a Do. " " " " N.W.
28.	20	a Wh. Oak 24 in. diam.
40.	00	Set temp. qr. Sec. post.
59.	39	a Run 15 Lks. wide course S.W.
80.	33	Intersect E. line 30 Lks. S. of post. &
		Land, rolling, and 2nd rate. Wh. & R.
		Oak, Beech, Sugar, Ironwood &c.

West		Correct line Between Sec.s 26 & 35.
40.	00	Set qr. Sec. post, from which
		a Beech 18 in. dia. bears S 22 E. 27 Lks. dist. X

236 T. 28 N. R. 14 E. 2nd P. M. Ind.a

Ws. Lks.	
	a Wh. Oak 24 in. dia. bears N. 5 W. 16 Lks. dist.
80.36	Sec. cor.

North	Between Secs. 26 & 27.
1.00	a Run 10 Lks. wide Course W.
28.00	a Stream 15 " " " S. W.
32.25	a Wh. ash 22 in. diam.
38.00	a Stream 15 Lks. wide Course S. E.
39.00	a Same 15 Lks. wide " S. W.
40.00	Set qr. sec. post, from which
	a Dogwood 8 in. dia. bears S. 49 W. 13 Lks. dist.,
	a Buckeye 15 " " " N. 62 E. 22 " "
60.15	a Wh. Oak 28 in. diam.
80.00	Set post cor. to Secs. 22, 23, 26 & 27, fr. wh.
	a Hickory 10 in. dia. bears S. 63 E. 42 Lks. dist. &
	an Ironwood 10 in. " " N. 63 W. 42 " "
	Land, Rolling 2nd rate. Oak, Hickory, Beech, Sugar, Elm &c. &c. Under growth of Dogwood & Ironwood.

East	On Random Bdry. Secs. 23 & 26.
40.00	Set temp. qr. sec. post.
80.51	Intersect N. & S. line 30 Lks. S. of post.
	Land, level 2nd rate. Timber Oak, Beech, Sugar, Elm. P. Ash, Spice Ironwood.

West	Correct line Between Secs. 23 & 26.
20.65	a Wh. Oak 20 in. diam.
40.25	Set qr. sec. post, from which
	a Wh. Oak 20 in. dia. bears S. 66 W. 13 Lks. dist. &
	a Do. 14 " " " N. 32 E. 8 " "
60.72	a Wh. Oak 24 " "
80.50	Sec. cor.

North Between Sections 22 & 23.

T. 28 S. R. 14 E. 2nd " Mer. Ind. "

C. L.	
14.65	a Hickory 18 in. diam.
40.00	Set qr. sec. post, from which a Hickory 15 in. dia. bears S 69 E. 13 lks. ✕ a Do. 10 " " " N 31 W. 13 " "
62.31	a Hickory 20 in. dia.
67.50	a Brook 20 lks. wide course W.
80.01	Set post. cor. to Sec. 14, 15, 22 & 23, T. nk. a Wh. Oak 18 in. dia. bears S 32 W. 54 lks. dist.) ✕ a Hickory 18 " " " N 32 E. 16 " " Land, a little rolling 2nd rate. — Timber Oak Hickory Beech, Sugar, Lynn &c. Und. Ironwood, Dogwood &c.

East on Random between Sec. 14 & 23.

9.00	a Gum 6 lks. wide S.
19.85	a R. Oak 20 in. diam.
21.00	a Brook 20 lks. wide Course S. W.
40.00	Set Qr. Sec. post, temporary
62.30	a Hickory 15 in. diam.
80.72	Intersect N & S. line 28 lks. S. of post. Land, level generally 2nd rate. Timber, Wh. & R. Oak, Hickory, Beech, Sugar Lynn &c.

West Correct line between Sec. 14 & 23.

40.36	Set Qr. Sec. post, from which a Hickory 20 in. dia. bears S 77 E. 8 lks. dist. ✕ a R. Oak 5 " " " N 52 W. 3 " "
80.72	Sec. cor. June 10th " 1822.

North Between Sections 14 & 15.

15.01	a Gum 4 lks. wide Course S. E.
32.00	a Wh. Ash 20 in. dia.
40.00	Set Qr. Sec. post, from which a Hickory 24 in. dia. bears S 43 W. 40 lks. dist.) a R. Oak 16 " " " N 40 W. 36 " "

T. 28 N. R. 14 E. 2nd P.M. Ind.a

Ch.	Lks.	
41.	15	a Beech 20 in. diam.
80.	00	Set post Cor. to Sec.s 10, 11, 14 & 15, fr. wh. a B. Oak 12 in. dia. bears S 10 E 8 lks. dist. & a Bl. Ash 18 " " " N 40 W. 30 lks. " Land, level & 2nd rate. Timb. Wh & Bl. Ash Elm Sycamore Oak Beech Sugar &c.

East		On Random between Sec.s 11 & 14.
36.	00	To Fort wayne Road Course N. W.
40.	00	Set temp. qr. Sec. post.
55.	00	a Run 5 lks. wide Course S. E.
60.	00	a Birch 20 in. diam.
79.	00	a Stream 15 lks. wide Course S. W.
80.	55	Intersect N & S line 35 lks. S. of post. Land, rolling and 2nd rate. Wh. & Bl. Ash. Oak, Hickory & Beech. Sugar, Elm & Sycamore.

West		Correct line between Sec.s 11 & 14.
40.	27	Set qr. Sec. post, from which a Beech 16 in. dia. bears S 28 E 42 lks. dist. & a Hickory 15 in. " " N 4 W. 35 " "
80.	55	Sec. Cor.

North		Between Sections 10 & 11.
24.	20	a Hickory 24 in. diam.
40.	00	Set qr. Sec. post, from which an Elm 14 in. dia. bears N 75 W 10 lks. dist. & an Do. 15 " " " S 51 E. 9 " "
45.	50	To Fort Wayne Road and a Pond.
60.	30	a Hickory 20 in. diam.
80.	00	Set post Cor. to Sec.s 2, 3, 10 & 11, fr which a wh. Oak 18 in. diam. bears S 53 E. 22 lks. dt. a Wh. Ash 10 " " " N 32 W 31 lks. dist. Land, a little rolling 2nd rate. Tim.

T. 28 N. R. 14 E. 2nd P.M. Ind.a

Ch. Lks.	
	Oak Ash Hickory Lynn Beech Sugar. P. Ash Ironwood &c. June 11th 1822.
East	On Boundary between Sec.s 2 & 11.
40.00	Set temp. gr. Sec. post.
62.10	a R. Oak 20 in. diam.
80.50	Intersect N. & S. line at post. Land, level 2nd rate. Wh. & Bl. Ash, Elm, Lynn B. Oak &c.
West	Correct line between Sec.s 2 & 11.
40.25	Set gr. Sec. post, from which a Sugar 14 in dia. bears S 41 E. 11 lks. dist. and a Lynn 14 " " " N 57 W. 22 " "
80.50	Sec. Cor.
North	Between Sec.s 2 & 3.
2.00	a Swamp Prairie Course N.W.
16.00	Left the Prairie Swamp
40.00	Set gr. Sec. post, from which a Hickory 15 in. dia. bears S 49 W. 46 lks. dist. & a Wh. Ash 10 " " " N 47 E. 20 " "
80.96	Intersect N. Boundary 5.20 lks E. of post. & Set post Cor. to Sec.s 2 & 3, from wh. a Wh. Ash 10 in. dia. bears S 4 E. 40 lks. dist. & a R. Oak 12 " " " S 74 W. 50 " " Land, level and wet. 3rd rate. Bl. & Wh. Ash, Elm Lynn Aspen Cottonwood and Sycamore.
North	Between Sections 33 & 34.
13.50	a Run 10 lks. wide Course N.W.
32.00	a Do. 5 " " " N.E.
40.00	Set gr. Sec. post, from which a Beech 14 in. diam. bears S 9 E. 27 lks. dist. & a R. Oak 24 " " " N 73 W. 46 " "

240

T. 28 S R. 14 E. 2nd P.M. Ind.a

G. L.	
41.62	a Hickory 18 in. diam.
77.00	a Road from Richmond Ind.a to Ft. Wayne.
80.00	Set post Cor. to Sec. 27, 28 33 & 34, from which a Beech 14 in. dia. bears S 35 E. 3 lks. dist. and a Wh. Oak 24 " " " N 43 W. 41 lks. dist. Land, 2nd rate. Timb.r Wh. Ash, Elm Beech Sugar, Hickory &c.

East	On Random between Sec.s 27 & 34.
22.10	To the St Marys River course N. W. & set a temp.y meand.r post.
25.50	Over River & set temp.y meand.r post.
40.00	Set temp.y qr. sec. post.
75.00	To a Stream course S. W.
79.80	Intersect N & S. line 50 lks. S. of post. Land, 2nd rate. Tim. Wh. Blue & B.k Ash, Elm, Sycm Hickory, Sugar &c.

West	Correct line between Sec.s 27 & 34.
39.75	Set qr. sec. post, from which a Bl. Ash 10 in. dia. bears S 56 E. 10 lks. dist. & a Do. 8 " " " N 72 W. 7 " "
54.00	Set post on E. Bank of River from which a Bx. Oak 24 in. diam.r bears S 81 E 10 lks. dist. & a Blackberry 14 in. " " N 9 E. 14 " "
57.80	Set post W. Bank of River, from which a Beech 18 in. dia. bears S 9 E 22 lks. dist. & a Do. 15 " " " N 45 W. 10 " "
79.80	Sec. Cor.

North	Between Sec.s 27 & 28.
5.70	To the St. Marys River course S. W. and set a meand.r post, from which a Sycm 12 in. dia. bears S 60 W. 30 lks. dist. & a Buckeye 20 " " " N 60 E. 15 " "
8.38	Over River & set meand.r post, fr. which

T 28 N. R. 14 E. 2nd P.M. Ind.a

Ch. Lks.	
	a Sugar 26 in. dia. bears S 60 W. 20 Lks. dist. X
	a Hickory 10 " " " N 8 E. 10 " "
28.86	a Wh. Oak 40 in. diam.
40.00	Set qr. Sec. post, from which
	an Elm 10 in. dia. bears S 4 E 42 Lks. dist.)
	a Beech 15 " " " N 55 W. 5 " "
48.50	a Run 5 Lks. wide Course S.W.
56.22	a Hickory 18 in. diam.
80.00	Set post Cor. to Sec.s 21, 22, 27 & 28, a B. Oak
	16 in. diam. for post Cor. Ag.t Sec.s 21 & 28
	Land, Rolling Good 2nd P.M. rate. Timb.r
	Wh. & Bl. Ash, Elm Walnut, Oak, Sugar
	Beech, Hickory &c.

East	On Random Between Sec.s 22 & 27.
26.50	a Run 10 Lks. wide Course S.W.
27.00	a Hickory 20 in. diam.
40.00	Set Comp. qr. Sec. post.
52.01	a Run 4 Lks. wide Course S.
64.23	a Hickory 15 in. diam.
70.00	a Run 4 Lks. wide Course S.W.
79.01	Intersect N & S. line at post.
	Land, level principally 2nd P.M. rate.
	Timb. Oak, Beech Sugar Hickory Oak
	Lynn Elm &c.

West	Govert line Between Sec.s 22 & 27.
39.50	Set qr. Sec. post, from which
	a Hickory 14 in. diam. brs. N 67 E. 16 Lks. dist.)
	a Hickory 15 " " " N 48 W. 34 " "
79.01	Sec. Cor.

North	Between Sections 21 & 22.
14.50	a Run 10 Lks. wide Course S.W. a Spring
21.50	a Hickory 18 in. diam.
40.00	Set qr. Sec. post, from which

242

T. 28 N. R. 14 E. 2nd " Mer. Ind.a "

Ch.	Lk.	
		a Wh. Oak 12 in. dia. bears S 43 E. 20 Lks. dist. &
		a Do. 10 " " " N 34 W. 49 " "
46.	00	Do a Creek 25 Lks. wide Course S. W.
54.	50	a Run 6 Lks. wide Course S. E.
59.	33	a Beech 18 in. diam.r
80.	00	Set post Cor. to Sec. 15, 16, 21 & 22. from wh.
		an Ironwood 6 in. dia. bears S 30 E. 10 Lks. dt.
		a Do. 5. " " " N 49 W. 5 " "
		Land 1st " 1/2 mile Rolling. Last 1/2
		mile broken 2nd " rate. Oak, Beech
		Sugar, Hickory, Wh. & Blue Ash &c.

East	An Random Between Sec.s 15 & 22.
16.	83 a Hickory 18 in. diam.r
40.	00 Set comp. qr. Sec. post.
59.	33 a R. Oak 18 in. diam.r
62.	00 a Run 4 Lks. wide Course S. W.
79.	25 Intersect N & S. line 16 Lks. N. of post.
	Land, rolling 2nd " rate. Timber,
	Wh. & R. Oak, Beech, Sugar Elm &c.
	Ironwood &c.

West	Correct line Between Sec.s 15 & 22.
39.	62 Set qr. Sec. post. from which
	a Wh. Ash 14 in. diam.r bears S 24 E. 8 Lks. dt.
	a Lynn 12 " " " N 39 W. 11 " "
79.	25 Sec. Cor. June 12th " 1822.

North	Between Sections 15 & 16.
16.	00 a Sugar 14 in. diam.r
22.	50 a stream 15 Lks. wide Course S. W.
30.	00 an Old Wind fall Course S. E.
40.	00 Set qr. Sec. post. from which
	an Dogwood 6 in. dia. bears S 32 E. 13 Lks. dt.
	a Wh. Oak 12 in. dia. " N 39 W 31 " "
45.	00 Left the wind fall.

T. 28 N. R. 14 E. 2nd P.M. Mer. Ind.a

Ch.	Lks.	
57.	50	a Stream 10 Lks. wide course N.W.
64.	00	Same 10 " " " S.E.
79.	00	a Hickory 18 in. diam.
80.	00	Set post Cor. to Sec.s 9, 10, 15 & 16, from wh. a Sugar 16 in. dia. bears S 32 W. 44 Lks. dist. & a Beech 18 " " " N 66 W. 37 " " Land, Rolling & 2nd rate. Oak, Ash, Elm, Hickory &c.

East On Random Between Sec.s 10 & 15.
9. 00 a Run 4 Lks. wide Course S.
36. 00 a Hickory 18 in. diam.
40. 01 Set temp. qr. Sec. post.
62. 50 a Hickory 20 in. diam.
64. 01 a Run 4 Lks. wide Course S.W.
80. 00 Set post for Sec.s Intersect N. & S. line 12 Lks. N. of post.
Land, a little Rolling 2nd rate. Wh. & Bl. Oak, Beech Sugar Hickory Lynn &c.

West Correct line between Sec.s 10 & 15.
40. 01 Set qr. Sec. post, from which a Beech 12 in. dia. bears S 66 E. 18 Lks. dist. & a Do. 14 " " " N 52 W. 36 " "
80. 00 Sec. cor.

North Between Section. 9 & 10.
19. 40 a Sugar 20 in. dia.
35. 00 a Stream 10 Lks. wide Course S.W.
38. 01 Same Course S.E.
39. 50 Same " S.W.
40. 00 Set qr. Sec. post, from which a Buckeye 5 in. dia. bears S 18 W. 18 Lks. dist. & a Do. 10 " " " N 38 E. 27 " "
62. 01 a Run 10 Lks. wide, Course S.W.

T. 28 N. R. 14 E. 2nd P. M. Ind.a

Ch.	Lks.	
63.	40	a W. Oak 16 in. diam.r
80.	00	Set post Cor. to Sec.s 3, 4, 9 & 10, fr. wh. a Hickory 11 in. dia. bears S 60 W. 25 lks. a Do. 20 " " " N 11 E. 36 lks. dist. Land, Rolling 2nd rate. Wh & Bl. Oak, & R. Oak Elm, Beech, Sugar, Wh. & Bl. Ash, Hickory &c.
East		On Random between Sec.s 3 & 10.
19.	77	a Sugar 18 in. diam.
30.	00	a Run 5 lks. wide Course S.
40.	00	Set temp.y Qr. Sec. post.
59.	50	Fort Wayne Road Course N. W.
63.	19	a R. Oak 24 in. diam.r
78.	00	a Run 5 lks. wide Course S.
80.	35	Intersect N & S. line at post. Land, Swampy 3rd rate. Timb.r Wh. & Bl. Ash, Elm, Cotton wood, Sycamore &c. &c.
West		Correct line Between Sec.s 3 & 10.
40.	17	Set Qr. Sec. post. from which a Hickory 15 in. dia. bears S 25 E. 17 lks. dist. a Do. 12 " " " N 10 W. 14 " "
80.	35	Sec. Cor. June 13th 1822.
North		Between Sections 3 & 4.
20.	00	a Beech 18 in. dia.
30.	00	a Run 10 lks. wide Course S. W.
40.	00	Set Qr. Sec. post, from which a R. Oak 36 in. dia. bears N 82 E. 11 lks. dist. a Beech 12 " " " S 66 W. 54 " "
61.	96	a R. Oak 24 in. diam.r and to the Fort Wayne Road.
80.	00	Intersect N. Boundary 21 lks. East of post & set post Cor. to Sec.s 3 & 4, fr. wh.

T. 28 N. R. 14 E. 2nd P. Mer. Ind.a

Ch. Lks.	a Wh. Ash 15 in. diam. bears S 44 E, 14 Lks. dist.
	a Hickory 15 " " " S 60 W. 27 " "
	Land, 2nd rate. Wh. & Bl. Ash, Oak &c.
North	Between Sec.s 32 & 33.
26.27	a Wh. Ash 15 in. diam:
40.00	Set qr. Sec. post, from which
	a Wh. Ash 18 in dia. bears S 2° E, 23 Lks. dist. &
	a Beech 14 in. dia. " N 35 W. 33 " "
67.85	a Red Oak 36 in. diam.
80.00	Set post Cor. to Sec.s 28, 29, 32 & 33, from which
	a Elm 16 in. dia. bears S 15 E, 7 Lks. dist. &
	a Bl. Ash 8 in. dia. " N 11 W. 19 " "
	Land, rolling and varying from first to 3rd rate, Wh. Ash, Beech, Sugar, Hickory, Walnut, Oak, Elm, Maple, Sycamore Cotton wood &c.
East	On Random Between Sec.s 28 & 33.
21.39	a Beech 20 in. diam.
40.00	Set temp. qr. Sec. post.
43.00	Yellow Creek 100 Lks wide Course N.
76.50	The Quaker Road Course N. W.
79.90	Intersect E. boundy. 10 Lks. N. of post.
	Land, rolling 2nd rate. Wh. & Bl. Ash, Elm, Lynn, Wh. Oak, Sugar &c.
West	Correct line Between Sec.s 28 & 33.
39.96	Set qr. Sec. post. from which
	a Sugar 24 in. dia. bears S 66 E, 18 Lks. dist. &
	a Buckeye 15 " " " N 42 W. 12 " "
79.90	Sec. Cor.
North	Between Sec.s 28 & 29.
27.62	a Hickory 24 in. diam.
40.00	Set qr. Sec. post, from which

T. 28 N. R. 14 E. 2nd P. Mer. Ind.a

Chs.	Lks.	
		an Ironwood 8 in. dia. bears S 46 E. 33 lks. dist. & a Do. 6 " " " N 29 W. 31 " "
68.	50	To the Quaker Road Course W. at an Improvement.
70.	00	a fine Spring and Deer Lick.
80.	00	Intersect the St. Marys River crs. S. W. and set post Cor. to Sec. 20, 21, 28 & 29. from which a Beech 20 in. dia. bears S 23 E. 80 lks. dist. a Hickory 18 " " " S 16 W. 41 lks. dist. Land, rolling 2nd rate. Timber, — Wh. & Bl. Ash, Oak &c.

East		An Random Between Sec. 21 & 28.
21.	65	an Elm 24 in. diam.
36.	50	Intersect the St. Marys temp. post set.
40.	00	Crossed the River Course N. E.
63.	64	a Hickory 14 in. diam.
79.	80	Intersect N & S. line 10 lks. N. of post. Land, on W. side of River 1st rate Bottom. On E. side 2nd rate. Oak & Ash, Ironwood &c.

West		Correct line West on Sec. 21 & 28.
39.	90	Set qr. Sec. post, from which (on River Bank) a Sugar 12 in. dia. bears S 70 W. 25 lks. dist. a Wh. Oak 15 " " " N 54 E. 29 " "
43.	30	Set meand.r post on opposite Bank of the St. Marys River, from which a Buckeye 6 in. dia. bears S 54 W. 10 lks. dist. a Do. 10 " " " N 18 W. 26 " "
79.	80	Sec. Cor.

North		Between Sections 20 & 21.
2.	50	Crossed the River & set a meand.r

T. 28 N. R. 14 E. 2nd P. M. Mer. Ind.a

0.00	Pt.
	from which
	a Hickory 14 in. dia. bears S 80 E. 13 lks. dist. X
	a Mulberry 18 in. dia. " N 57 W. 22 " "
24.04	a Bl. Oak 20 " "
40.00	Set qr. sec. post, from which
	a Beech 18 in. diam. bears S 68 W. 7 lks. dist. X
	an Ironwood 10 in. dia. " N 62 E. 14 lks. dist.
67.44	an Elm 36 in. diam.
77.50	a Road 50 lks. wide Course S. W.
80.00	Set post Cor. to Sec.s 16, 17, 20 & 21, from which
	a Buckeye 6 in. dia. bears N 15 W. 26 lks. dist.
	a Water Beech 8 in. dia. " S 39 E. 52 " "
	Land, 1st rate.

East	On Boundary Between Sec.s 16 & 21.
2.00	Crossed a Creek 50 lks. Course S. W.
15.50	Same 50 lks. wide Course N. W.
25.13	a Beech 13 in. diam.
35.00	a Creek 50 lks. wide Course S. W.
40.00	Set qr. sec. post. Temp.
58.94	a Hickory 18 in. diam.
79.18	Intersect N & S. line 15 lks. N. of post.
	Land, a little Rolling 2nd rate. Some
	Oak, Beech, Sugar &c. &c.

West	Correct line Between Sec.s 16 & 21.
39.09	Set qr. sec. post, from which
	a Buckeye 4 in. dia. bears N 85 W. 3 lks. dist.
	a Sugar 10 in. dia. " S 42 E. 12 " "
79.18	Sec. Cor. June 14th 1822.

North	Between Sec.s 16 & 17.
18.75	a Beech 12 in. dia.
40.00	Set qr. sec. post from which
	a Wh. Ash 6 in. dia. bears N 17 W. 16 lks. dist. X
	a Hickory 4 " " " S 30 E. 7 " "

T. 28 N. R. 14 E. 2nd P.M. Ind.a

ch. lks.	
65. 18	a Wh. Oak 24 in. diam.
80.00	Set post Cor. to Sec.s 8, 9, 16 & 17, fr. wh.
	a Beech 12 in. dia. bears N45W 11 lks. dist.
	a Hickory 8 " " " S35E 17 " "
	Land, rolling 2nd rate. Timber,
	Beech Sugar Wh. Oak, Ash Buckeye
	Spice Ironwood Dogwood &c.

East	On Random Bet.n Sec.s 9 & 16.
15.00	a R. Oak 18 in. diam.r
40.00	Set Comp.a Gr. Sec. post.
76.00	a Run 10 lks. wide Course S. W.
79.10	Intersect N. & S. line 100 lks. N. of post
	Land and Timber, Same.

West	Correct line Betw.n Sec.s 9 & 16.
39.56	Set Gr. Sec. post, from which
	a Beech 6 in. dia. bears S30E, 20 lks. dist.
	a Do. 5 " " " N20W, 25 " "
79.10	Sec. Cor.

North	Between Sections 8 & 9.
03.44	a Hickory 12 in. diam.r
40.00	Set Gr. Sec. post, from which
	a Wh. Oak 20 in dia. bears S65E, 30 lks. dist.t
	a Hickory 10 " " " N57W. 25 " "
62.70	a Hickory 24 in. diam.r
80.00	Set post Cor. to Sec.s 4, 5, 8 & 9, fr. wh.
	a Wh. Oak 36 in. dia. bears N36E, 14 lks. dist.
	a Wh. Oak 36 " " " S36W, 27 " "
	Land, little rolling 3rd rate. —
	Wh. Oak. — Thorn and Dogwood.

East	On Random Between Sec.s 4 & 9.
40.00	Set Comp. Gr. Sec. post.
68.00	a Run 10 lks. wide Course S. E.

T. 28 N. R. 14 E. 2nd " Mer. Indª "

Chs.	Lks.	
80.	28	Intersect N & S. line at post.
		Land, level 2nd " rate. Wh. & R. Oak.
		Elm, Hickory, Beech & Sugar.

West		Connect line between Sec. 4 & 9.
40.	14	Set qr. Sec. post, from which
		a Wh. Oak 24 in. dia. bears N 29 W. 29 lks.
		a Sycamore 36 " " " S 40 E. 25 lks. dist.
80.	28	Sec. cor.

North		Between Sec. 4 & 5.
18.	42	a Hickory 12 in. diam.
40.	00	Set qr. Sec. post, from which
		a Beech 8 in. dia. bears S 5 E. 9 lks. dist. &
		a Hickory 20 in. " " N 42 W. 5 " " .
68.	00	a Bl. Ash 12 in. diam.
80.	63	Intersect N. Boundary 2 58 chs. E. of post.
		& Set post Cor. to Sec. 4 & 5, from which
		a Bl. Ash 8 in. dia. bears S 30 E. 16 lks. dist.
		a Wh. Ash 6 " " " S 61 W. 22 " "
		Land, 2nd " rate. Beech, Oak, Hick.
		Elm, Wh. & Bl. Ash &c. . Under gth. of
		Leon wood & some willow.
		June 5th " 1822.

North		Between Sections 31 & 32.
10.	97	a Bl. Ash 18 in. diam.
40.	00	Set qr. Sec. post, from which
		an Elm 24 in. dia. bears S 19 E. 30 lks. dist. &
		a Do. 14 " " " N 32 W. 8 " "
62.	78	an Elm 15 in. dia.
80.	00	Set post Cor. to Sec. 29, 30 & 31 & 32,
		a Beech 15 in. dia. bears S 42 E. 32 lks. dist.
		a Do. 18 " " " N 9 W. 56 " "
		Land, level & wet 3rd " rate. Black
		& Wh. Ash Elm Sycamore &c. & Beech & Spice.

250 T. 28 N. R. 14 E. 2nd P.M. Mer. Ind.a

Ch.	Lks.	
East		On Random between Sec. 29 & 32.
21.	90	a Beech 20 in. diam.
40.	00	Set temp. qr. Sec. post.
80.	00	Intersect N. & S. line 75 lks. N. of post. Land, level 2nd rate. Timb. Wh. & Bl. Ash, Elm, Hickory Sugar Beech Walnut &c. — Spice Ash & Boxwd.

West		Correct line Between Sec. 29 & 32.
40.	00	Set qr. Sec. post, from which a Beech 18 in. dia. bears S 75 W 24 lks. dist. a Do. 15 " " " N 29 E. 32 lks. dist.
80.	00	Sec. cor.

West		Between Sec. 30 & 31.
20.	30	a Wh. Ash 24 in. diam.
40.	00	Set qr. Sec. post, from which a Wh. Oak 24 in. dia. bears S 61 E. 10 lks. dist. a Wh. Ash 8 " " " N 53 W. 14 " "
59.	00	a Beech 18 " "
80.	04	Intersect W. Boundary at post Cor to Sec. 30 & 31. Land, level 1st half mile 3d rate. Last ½ mile 2nd rate. Beech, Sugar, Wh. Ash, Hickory, Wh. Oak &c. — Spice.

North		Between Sections 29 & 30.
23.	22	a Cotton wood 10 in. diam.
23.	50	a Swamp Course N. W.
37.	00	a small piece of wood land.
40.	00	Set qr. Sec. post, from which a Wh. Oak 12 in. dia. bears E 45 E. 32 lks. dist. a Wh. Ash 14 " " " N 50 W. 22 " "
41.	00	To the Swamp again
43.	50	Croped Willow Swamp.
67.	68	a Wh. Oak 30 in. diam.

T. 28 N. R. 14 E. 2nd " Mer. Ind.a "

Ch.s	Lks.	
80.	00	Set post Cor. to Sec.s 19, 20 29 & 30 — a Beech 14 in. dia. bears S 57 E. 29 lks. dist. a Hickory 15 " " " N 33 W. 60 " " Land Except swamp 2nd rate. — Oak. Beech Sugar Hickory & Wh. Ash. Spice P. Ash, Elm, Bush &c.
		East on Random Between Sec.s 20 & 29.
11.	50	a Run 5 lks. wide course S. E.
21.	01	a Wh. Oak 24 in. diam.r
40.	00	Set temp.y Cor.r Sec.s post.
56.	50	The Quaker Road Course N. W.
66.	50	To the St. Marys River Course N. W. set temp.y meand.r post.
69.	25	Crossed the River and set temp.y meand.r post.
74.	75	To the St. Marys River Course S. W. and set temp.y meand.r post.
80.	25	Intersect N & S. line 10 lks. N. of post. Land, 2nd " rate. Timb.r as before.
		West Correct line Between Sec.s 20 & 29.
5.	50	Crossed the River & set meand.r post, from which a Beech 18 in. dia. bears N 24 W. 53 lks. dist. a Hickory 8 " " " " S 80 W. 105 " "
11.	00	Set post on 2d " River from which a Hackberry 14 in. dia. brs. S 6 W. 18 lks. dist. a W. Beech 6 " " " " N 29 W. 24 " "
13.	75	Set post on opposite Bank fr. wh. a Re. Oak 14 in. dia. bears S 70 E. 28 lks. dist. a Wh. Oak 15 " " " N 33 W. 12 " "
40.	12	Set Q.r Sec.s post, from which a Wh. Oak 18 in. dia. bears S 30 E. 32 lks. dist. a Do. 16 " " " N 58 W. 9 " "
80.	25	Sec. Cor.

T. 28 N. R. 14 E. 2nd " Mer. Ind.a

Ch.	Lks.	
West		Between Sec. 19 & 30.
24.	00	a Wh. Oak 24 in. diam.
40.	00	Set Qr. Sec. post, from which
		a Sycamore 30 in. diam. bears S. 30 W. 32 lks. dist.
		a Do. 36 " " " N. 9 E. 29 " "
65.	65	an Elm 18 in. diam.
82.	90	Intersect W. Boundary at the Edge of a
		Sloughe which bears N. W. at the post Corner
		To Secs. 19 & 30.
		Land, level 2nd " rate. Wh & Bl. Oak,
		Wh. Ash, Beech, Sugar Lynn &c. Spice &
		Ironwood. June 16th " 1822.

North		Between Sec. 19 & 20.
2.	00	a Run 5 lks. wide course S. E.
24.	62	a Wh. Oak 30 in. diam.
40.	00	Set Qr. Sec. post, from which
		a Hickory 14 in. dia. bears S. 46 E. 46 lks. dist.
		a Beech 18 " " " N. 85 W. 31 " "
57.	04	a Wh. Oak 24 in. diam.
67.	00	To the Quaker Road Course N. W.
80.	00	Set post Cor. to Sec. 17, 18, 19 & 20, fr. wh.
		a Wh. Ash 8 in. dia. bears S. 24 W. 53 lks. dist.
		an Elm 8 " " " N. 60 E. 32 " "
		Land, a little Rolling 2nd " rate. Timb.
		Wh. Oak Beech Hickory, Burr Oak, Sugar
		&c. &c. Und. Ironwood &c.

East		On Random Between Sec. 17 & 20.
19.	50	Intersect the St. Marys River N. E.
22.	00	Crossed River & Set temp. post.
40.	00	Set temp. Qr. Sec. post.
80.	26	Intersect N. & S. line 10 lks. N. of post.
		Land, 1st " fr. mile 1st " rate. Last half
		2nd " rate Oak Hickory, Ash &c.

T. 28 N. R. 14 E. 2nd P.M. Mer. Ind.a

Chs. Lks.	
West	Correct line Between Sec. 17 & 20.
40.13	Set qr. Sec. post, from which
	a Water Beech 6 in. dia. bears S 2 E. 33 lks. dist.
	a Hickory 14 in. dia. bears N 2 W. 28 " "
58.24	Set post on the Bank of the River —
	St. Marys, from which
	a Water Beech 6 in. dia. bears S 10 E. 38 lks. dist.
	a Sugar 10 in. dia. bears N 56 E. 24 " "
60.76	Set post on opposite Bank of River
	a Buckeye 10 in. dia. bears S 57 W. 32 lks. dist.
	a Blackberry 14 in. dia. " N 52 W. 22 " "
80.26	Sec. Cor.

West	Between Sections 18 & 19.
7.50	a Run 6 lks. wide Course N. W.
9.50	To the Quaker Road Course N. W.
19.70	a Wh. Oak 20 " "
40.00	Set qr. Sec. post, from which
	a Beech 18 in. dia. bears S 35 E. 56 lks. dist.
	a Do. 15 " " " N 23 W. 14 " "
84.86	Intersect W. Boundary at post Corner to
	Sections 18 & 19.
	Land a little rolling 2nd rate. — —
	Wh. Oak, Ash, Beech, Sugar, Hickory &c.
	Plenty of Iron wood & Spice Brush.

North	Between Sections 17 & 18.
4.85	To the St. Marys River Course S. W.
	& Set post Cor. to Sec.s 17 & 18 (fract. Sec.s) from which
	a Beech 24 in. dia. bears S 34 W. 19 lks. dist. and
	a Do. 30 " " " East 75 " "
7.50	Crossed the River and Set post Corner
	to Sec.s 17 & 18 (fract. Sec.s) from which
	a Hickory 10 in. dia. bears N 52 E. 60 lks. dist.
	a Do. 12 " " " N 82 W. 42 " "
40.00	Set qr. Sec. post, from which

254 T. 28 N. R. 14 E. 2nd " Mer. Sud a "

Ch. Lks.	a Wh. Oak 15 in. dia. bears S 27 E. 10 Lks. distt. X
	a Hickory 12 " " " N 20 W. 20 " "
71.90	a Beech 20 in. dia.
80.00	Set post Cor. to Sec. 7, 8, 17 & 18, fr. which
	a Beech 18 in. dia. bears S 45 E. 31 Lks. distt. and
	a Hickory 10 in. dia. bears N 40 W. 35 " "
	Land 1st " Hilly and Rocky 1st " rate. Buckeye
	Walnut &c. Last fr 2nd " rate. Beech.
	Oak, Sugar, Hickory, Lynn: &c. and undr. bth.
	of Shumard and Elm.

East	On Random Between Sec. 8 & 17.
19.00	a Run 10 Lks. wide course N. W.
40.00	Set temp. qr. Sec. post.
80.04	Intersect N. & S. line at post.
	Land 2nd " rate. Timber, Wh. & Bl. Oak,
	Beech, Sugar & Hickory.

West	Quarter line Between Sec. 8 & 17.
40.00	Set qr. Sec. post, from which
	a Beech 15 in. dia. bears N 60 W. 18 Lks. distt.
	a Do. 10 " " " S 31 E. 22 Lks. distt.
80.04	Sec. Cor.

West	Between Sec. 7 & 18.
30.25	a Wh. Oak 24 in. diam.
40.00	Set qr. Sec. post, from which
	a Beech 18 in. dia. bears S 62 E. 22 Lks. distt. X
	a Lynn 8 " " " N 45 W. 13 " "
60.75	To St. Marys River course N. W. and
	Set a meand. post, from which
	a Wh. Oak 12 in. dia. bears S 60 E. 19 Lks. distt.
	a Do. 18 " " " N 30 W. 21 " "
64.70	Crossed the River & set post, from which
	a Buckeye 12 in. dia. bears S 18 E. 16 Lks. distt. X
	a Hickory 10 " " " N 45 W. 40 " "

T. 28 S. Rg. 11 E. 2nd " Mer. Ind a "

Chs.	Lks.	
66.	78	a Beech 18 in. dia.
84.	73	Intersect W. Boundary at post where Corner to Sec. 7 & 18, Land, a little rolling 2nd rate. Timr. Wh. Ash, Beech, Oak Sugar, Buckeye Walnut Hackberry &c, — Spice bush. June 19th " 1822.
North		Between Sec. 7 & 8.
20.	92	a Hickory 12 in. diam.
26.	00	a Elm 10 Lks. wide Course N. 70 W.
40.	00	Set qr. Sec. post, from which a Hickory 20 in. diam. bears N 20 E 30 Lks. dist. & an Elm 15 " " bears S 51 W, 5 " "
50.	00	a Maple 10 Lks. wide Course S. W.
70.	00	a Wh. Oak 10 in. diam.
80.	00	Set post Cor. to Sec. 5, 6, 7 & 8, from wh. a Hickory 15 in. dia. bears N 60 E 30 Lks. dist. a Wh. Oak 18 " " " S 60 W 14 Lks. dist. Land, level 2nd " rate. Timr. Wh. Oak Wh. Ash, Hickory, Beech &c — Ironwood.
East		On Mandan Between Sec. 5 & 8.
40.	00	Set temp. qr. Sec. post.
79.	50	Intersect W. S. line 30 Lks. N. of post. Land a little Rolling 2nd " rate. Wh. & Bur. Oak, Hickory Beech &c. Sugar Sycamore &c.
West		Correct line between Sec. 5 & 8.
40.	00	Set qr. Sec. post, from which a wh. Oak 12 in. dia. bears N 45 E, 10 Lks. dist. & a Do. 18 " " " S 3 W, 22 " "
79.	50	Sec. Cor.
West		Between Sections 6 & 7.

T. 28 N. R. 14 E. 2nd " Mer. Land"

Ch.	Lks.	
21.	76	a R. Oak 12 in. diam.
39.	01	a Run 10 Lk. wide Course S. W.
40.	00	Set qr. Sec. post, from which an Ironwood 4 in. dia. bears N 64 E. 35 Lks. & a W. Beech 4 in. dia. bears S 66 W. 21 Lks. dist.
58.	75	a Wh. Oak 15 " "
79.	50	a Run 10 Lks. wide Course S.
84.	75	Intersect W. Boundary 190 Lks. N. of post & Cor. post Cor. to Sec. 6 & 7, from which a Beech 24 in. dia. bears N 75 E. 32 Lks. dist. & an Ironwood 6 in. " " N 6, 32 " " Land, a Little Rolling 2nd rate, Oak, Ash, Beech, Sugar &c.

North	Between Sections 5 & 6.
23.00	a Run 5 Lks. wide Course S. W.
24.34	a Wh. Oak 24 in. diam.
34.00	To a Run 5 Lks. wide Course S. W.
40.00	Set qr. Sec. post, from which a Hickory 10 in. dia. bears S 71 E. 4 Lks. dist. & a Do. 6 " " " N 60 W. 21 " "
79.90	Intersect N. Boundary 100 Lks. East of post & Cor. post Cor. to Sec. 5 & 6, from which a Hickory 15 in. dia. bears S 46 W. 60 Lks. dist. & a Wh. Oak 10 " " " S 9 E. 49 Lks. dist. Land, rolling 3rd rate. Wh. Oak, Hick. Shumby thorn Bush & Ironwood. June 18th 1822. Surveyed by James Riley, Dep. Sur.

Courses.	ch.	lks.	
			Meanders of the St. Marys River on Right Bank, T. 28 N. R. 14 E. Beginning at the Range Line West side of Sec. 7 Thence up the River
East	8.	00	In Sec. 7.

T. 28 N. R. 14 E. 2nd P.M. Ind.a

Courses.	Ch. Lks.	
Courses.	Ch. Lks.	
S 63 E.	8. 50	
S 50 E.	10 00	
S 40 E	1. 20	To post in line of sec. 7 & 18.
S 34 E.	8. 50.	In sec. 18.
S 18 E	23. 00	at 13.00 a Beam 20 lks. wide
S 60 E	3. 50	
S 70 E	19. 33	at 50 a Beam 10 lks. wide fr. N.
S 45 E	13. 00	
S 18 E	13. 00	
S 36 E	16. 29	
S 86 E	5. 00	To post in line of sec. 17 & 18.
		In sec. 17.
N 65 E	3. 50	
N 54 E	10 00	
S 70 E	5. 50	
S 43 E	6. 78	
S 5 E	4. 60	at 50 a Spring run.
S 9 E	3. 24	To Post in line of sec. 17 & 20.
		In sec. 20.
S 10 W	14. 64	
S 35 E	13. 00	
S 60 E	20. 00	
S 76 E	8. 10	Mouth of a Creek 50 lks. wide fr. N.E.
S 33 E	7. 50	
S 11 E	9. 76	
S 25 E	22. 75	
S 14 E	6. 60	To post in line of sec. 20 & 29.
S 42 E.	2. 00	
N 71 E	4. 40	To post in line of sec. 20 & 29.
N 62 E	6. 16	To post in line bet. sec. 20 & 21.

T. 28 N. R. 14 E. 2nd P.M. Ind.

Courses.	Ch's	Lks.	
N65E	7.	86	
N76E	6.	00	
N71E	9.	50	
N84E.	12.	50	
S78E.	5.	00	at 4 ch's a Run 6 lks wide course from N.E.
S26E	5.	00	
S10W	4.	50	at 50 a creek 50 lks. wide f. N.E.
S27W	1.	50	Intersect post in line of sec's 21 & 28.
S42W	4.	15	
S58W	8.	50	
S6E	11.	44	
S24E	6.	50	
S38E.	11.	10	
S53E	9.	30	
S70E	13.	15	
S46E	9.	50	
S12E	23.	20	at 6.00 a Run 20 ch's wide from N.E.
East	5.	33	
N65E	3.	16	To post in line of sec's 27 & 28.
N68E	6.	50	
East	6.	00	
S73E	7.	40	at 7.00 a Run 18 lks. wide f. E.
S46E.	4.	00	
S35E	6.	91	To post in line of sec's 27 & 34.
S35E	12.	86	
S76E	9.	50	
S8E	5.	50	Mouth of a creek 30 lks. wide from East.
South	9.	50.	
S32W	7.	24	

T. 28 N. R. 14 E. 2nd P.M. Indiana.

Courses.	Ch. Lks.	
S 11 E.	4.00	
S 61 E	13.00	
S 47 E	5.25	
S 30 E	3.50	
South	11.39	
S 36 E	3.24	
S 78 E.	5.00	
S 50 E	5.40	
S 20 E	5.34.	
S 5 W	7.00	Intersect Town line betn Towns 27 & 28 N. R. 14 E. July 13th 1822.
		Meanders of Left Bank of the St. Mary's River from post in Range line West side of Sec. 7, thence up stream in Sec. 7.
N 84 E	2.39.	
S 80 E	7.00	
S 60 E.	5.80	
S 54 E	7.16	To post in line of Secs. 7 & 18. July 11th 1822.
S 40 E	7.57	In Sec. 18.
S 11 E	8.86	
S 25 E	19.01	
S 56 E	6.00	
S 72 E	16.50	
S 51 E	9.25	
S 25 E	18.90	High Banks.
S 35 E	15.19	
N 85 E	6.15	To post in line of Sec. 17 & 18.
N 70 E	3.61	at 1.00 a Brook 3 lks. wide C. S.
N 50 E	10.20	In Sec. 17.

260

T. 28 N. Rg. 14 E. 2nd P.M. Ind.a

Courses.	ch.	lks.	
S 59 E	8.	17	
S 93¾ E	8.	35	To post in line of Sec.s 17 & 20.
S 13 W	6.	00	
S 20 W	5.	26	
S 21 E	9.	12	
S 41 E	11.	99	
S 53 E	7.	00	
S 67 E	21.	50	
S 12 E	15.	00	high Banks.
S 24 E	27.	12	To post in line of Sec.s 20 & 29. Bears West 57 lks.
S 24 E	2.	88	
S 73 E	2.	00	
N 71 E	10.	16	To portion. to Sec.s 20, 21, 28 & 29.
N 72 E	25.	26	
N 84 E	8.	50	
S 82 E	5.	50	Bottom.
S 3 E	5.	48	
S 35 W	2.	69	To post in line of Sec.s 21 & 28.
S 52 W	11.	00	
S 14 W	5.	00	high Bank
S 10 E	8.	00	
S 28 E	12.	00	
S 44 E	15.	00	
S 68 E	17.	93	
S 38 E	7.	92	at 4.00 a Brook 25 lks. wide c. s.
S 4 E	16.	50	
S 33 E	7.	50	
East	4.	50	
N 60 E	4.	57	To post in line of Sec.s 27 & 28.
N 66 E	7.	00	

T. 28 N. R. 14 E. 2nd P.M. Indiana.

Courses.	Ch.ˢ	Lk.ˢ	
S 87 E	8.	50	
S 57 E	6.	19	
S 31 E	5.	10	To post in line of Sec.ˢ 27 & 34.
S 35 E	17.	50	
East	7.	50	Bottom.
S 20 E	4.	00	July 12th 1822.
S 4 E.	7.	71	
S 20 W	8.	01	
S 10 E	5.	12	
S 59 E	13.	50	
S 45 E	5.	25	
S 11 E	3.	00	
S 2 W	9.	34	
S 35 E	4.	00	
S 74½ E	7.	50	
S 40 E	5.	58	
S 12 E	6.	00	Var. 5. 00.
S 17 W	2.	96	Intersect post in Line between Towns 27 & 28 North, Range 14 East. — July 1822. Surveyed by Sᵗ. Riley, Dep. Sur.

I certify that the foregoing transcripts of the Field Notes of Township Nº. 28, North in Range Nº. 14 East 2nd P.M. in Indiana has been compared with the Original in this Office and found to be correct.

Surveyor Genᵉˡ's Office
Cincinnati, March 5th 1845.

William Johnston
Surv. Genˡ.